
a Computer running APT
APT (Client)
Connection Manager
apt.registry.host = clotho.stsci.edu
apt.registry.port = 20202
(Deprecated - Don't change)
APTServers
server.
properties
DB Update
Assist
Select Database
assist: apt.db.server
pmdb: apt.db.pmdb.server
proper: apt.db.proper.server
assist: $DSQUERY
pmdb: $DSQUERY
proper: $PROPER_DB_SERVER
null
null
FAIL
assist: apt.db
pmdb: apt.db.pmdb
proper: apt.db.proper
assist: $ASSIST_DB
pmdb: $SPSS_DB
proper: $PROPER_DB
null
null
FAIL
Request list of available servers.
Select server
Assist Server
(Generally HAL9000)
Assist Database
(Often Assist)
clotho.stsci.edu
RMI Registry
- Server
- developed by Sun
- Port = 20202
Name:Version:Test identifies a Server instance.
APTServer : Version <n + 2> : Test
APTServer : Version <n + 1> : Test
APTServer : Version <n>
HST Opportunity Server
HST Status Server
HST Address Server
APT ID Server
APT Test ID Server
HST Moss Server
PhaseIServer
PhaseITestServer
PhaseIIServer
PhaseIITestServer
Assist
PMDB
ProPer
Select Database
Select Database
Select Database
ID
Counters
mossfiles
upload
upload/test
phase2-upload
phase2-upload/test
DB Server
some assist DB
some sogs DB
some proper DB
zeppo
assist
sogs_rep
proper_rep
Note: On Zeppo, if apt.db is set to a non-existant db, then assist is used as the default--never use this functionality!!!
C3P0
assist_testapt
spss_rep (is there a sogs_rep?)
assist_test
iteassist3
HAL9000
assist
Brett
Bretts Mac
Phase 1 Submission Tool
Submissions
Harry
Phase 2 Submission Daemon
(Cron Job: runs every 5 min)
Assist
Hard Coded
Phase 2 Test Submission Daemon
(Cron Job: runs every 5 min)
Assist
Hard Coded
Key
Computer
Application
APT Server Name
Process
DB Pointer
System Property
Environment Variable
Database
Storage